

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	30	"6496662".pn. "6397016".pn. "6337956".pn. "6233421".pn. "6173130".pn. "6075963".pn. "5933678".pn. "5899597".pn. "5870652".pn. "5812915".pn. "5752145".pn. "5671461".pn. "5621221".pn. "5587770".pn. "5532790".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 14:38
S2	34	"6496662".pn. "6397016".pn. "6337956".pn. "6233421".pn. "6173130".pn. "6075963".pn. "5933678".pn. "5899597".pn. "5870652".pn. "5812915".pn. "5752145".pn. "5671461".pn. "5621221".pn. "5587770".pn. "5532790".pn. "5434656".pn. "4963929".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 09:42
S3	0	399/106.ccls	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 09:50
S4	1990	399/106.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 09:51
S5	148	(refillable or refill or add) toner cartridge (plug or cork or stopper or cap) (window or aperture or hole or translucent or transparent) (reflector or reflective or mirror or reflection or reflecting) (agitator or agitation or agitate or mixer or mixing or mixer or blade)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/25 10:44
S6	127	(refillable or refill or add) toner cartridge (seal) (window or aperture or hole or translucent or transparent) (reflector or reflective or mirror or reflection or reflecting) (agitator or agitation or agitate or mixer or mixing or mixer or blade)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/25 10:53
S7	38	S6 and "399".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/25 10:53

S8	16	((("4155652") or ("4646679") or ("4963929") or ("5036358") or ("5587770") or ("5621221") or ("5899597") or ("6173130"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 10:18
S9	149	399/109.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 12:07
S10	0	S9 and (process or method) near "of removing" near (plug or seal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 12:09
S11	8	S9 and (process or method) near (plug or seal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 12:15
S12	87	S9 and (seal plug) and (removing or removal) and (method or process)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 12:16
S13	38	S9 and (seal plug) same (removing or removal) same (method or process)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 14:34
S14	731	222/DIG.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 14:34
S15	352	S14 and (cap or plug or seal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 07:49

S16	0	347/140.ccls	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 07:49
S17	0	."	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 07:49
S18	356	347/140.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 07:49
S19	13	347/140.ccls. and (seal or cap or plug or cork)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 11:18
S20	4	"086715".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 11:19
S21	39477	miura.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 11:19
S22	1993	S21 and @ay="2003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 11:20
S23	3	S21 and @ad="20030508"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 11:22

S24	11	"399".clas. and miura.in. and @ay="2003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 11:22
S25	15	"399".clas. and miura.in. and @ay="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 12:35
S26	178	49/310.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 12:38
S27	137	49/dig.2.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 12:51
S28	147	215/294.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 12:58
S29	829	215/354.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 13:16
S30	81	(developer or toner) near filling near opening and sealing near member	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 13:19
S31	0	(developer or toner) near filling near opening and sealing near member near (tongue or base or clip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 13:19

S32	2	"399".clas. and (toner or developer) near (seal or plug or cap) near (tongue or base or clip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 13:21
S33	111212	"399".clas. (seal or plug or cap) near (tongue or base or clip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 13:36
S34	91793	"399".clas. (seal or plug or cap) near (tongue or clip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 13:22
S35	45270	S34 and toner	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 13:22
S36	6456	S35 and cartridge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 13:22
S37	3791	S36 and developer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 13:23
S38	27	"399".clas. and (seal or plug or cap) near (tongue or base or clip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 13:36
S39	2	("6219506").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 14:38